

SPECIFICATIONS


Estimate #: 1737

Job Name: Mary Street Development, Building 3



Unit 1, Bedroom 1 Ventilated







Designer Homeware (NZ) Ltd 0508 2 ORGANISE (67426) www.designerhomeware.co.nz

Job number: 35524

Builder: Iconic Construction Owner/Client: Building 3 **Address: Mary Street** City: Hamilton

Quote number: 131852

Type: 300S&R

All dimensions & size designations are subject to site verification and adjustment to fit job conditions. This is an original design and must not be released or copied

unless an application fee has been paid or a job


order placed.

5.18 Metres 2 Pole

Plans and Specifications Approved:

Unit 1, Bedroom 2 Ventilated







Designer Homeware (NZ) Ltd 0508 2 ORGANISE (67426) www.designerhomeware.co.nz

Job number: 35524

Builder: Iconic Construction Owner/Client: Building 3 Address: Mary Street City: Hamilton

Quote number: 131852

Type: 300 S&R


All dimensions & size designations are subject to site verification and adjustment to fit job conditions. This is an original design and must not be released or copied unless an application fee has been paid or a job order placed.

2.52 Metres 1 Pole

Plans and Specifications Approved:

Unit 1, Bedroom 3 Ventilated







Designer Homeware (NZ) Ltd 0508 2 ORGANISE (67426) www.designerhomeware.co.nz

Job number: 35524

Builder: Iconic Construction Owner/Client: Building 3 **Address: Mary Street**

City: Hamilton

Quote number: 131852

Type: 300S&R

All dimensions & size designations are subject to site verification and adjustment to fit job conditions. This is an original design and must not be released or copied

unless an application fee has been paid or a job


order placed.

5.	31	N	/letr	es	2	Pol	le

Plans and Specifications Approved:

Unit 2, Bedroom 1 Ventilated







Designer Homeware (NZ) Ltd 0508 2 ORGANISE (67426) www.designerhomeware.co.nz

Job number: 35524

Builder: Iconic Construction Owner/Client: Building 3 Address: Mary Street City: Hamilton

Quote number: 131852

Type: 300S&R

All dimensions & size designations are subject to site verification and adjustment to fit job conditions. This is an original design and


to fit job conditions. This is an original design an must not be released or copied unless an application fee has been paid or a job order placed.

5.18 Metres 2 Pole

Plans and Specifications Approved:

Unit 2, Bedroom 2 Ventilated







Designer Homeware (NZ) Ltd 0508 2 ORGANISE (67426) www.designerhomeware.co.nz

Job number: 35524 Builder: Iconic Construction Owner/Client: Building 3 Address: Mary Street

City: Hamilton

Quote number: 131852

Type: 300 S&R


All dimensions & size designations are subject to site verification and adjustment to fit job conditions. This is an original design and must not be released or copied unless an application fee has been paid or a job order placed.

2.52 Metres 1 Pole

Plans and Specifications Approved:

Unit 2, Bedroom 3 Ventilated







Designer Homeware (NZ) Ltd 0508 2 ORGANISE (67426) www.designerhomeware.co.nz

Job number: 35524

Builder: Iconic Construction Owner/Client: Building 3 **Address: Mary Street** City: Hamilton

Quote number: 131852

Type: 300S&R

All dimensions & size designations are subject to site verification and adjustment to fit job conditions. This is an original design and

must not be released or copied unless an application fee has been paid or a job

order placed.

5.31 Metres 2 Pole

Plans and Specifications Approved:



DWA6314X2

Dishwashers, Universale, Free-standing, 60 cm, Number of place settings: 14, Silver









































TYPE

Product Family: Dishwashers • Commercial height: 85 cm • Number of place settings: 14 • Installation: Free-standing • Commercial width: 60 cm • EAN code: 8017709278847

AESTHETICS

Color: Silver • Finishing: Fingerproof • Aesthetics: Universale • Front panel colour: Silver (oropal grey) • Door type: Without frame • Door colour: Finger friendly stainless steel • Sides colour: Silver (oropal grey) • Top colour: Silver (oropal grey) • Plinth colour: Silver (oropal grey) • LED/display colour: White • Buttons colour: Silver (oropal grey)

PROGRAMS / FUNCTIONS

N. of programmes: 5+5 quick programmes • Soak: Yes • Rapid 27': Yes • ECO: Yes • Ultraclean: Yes • ECO Quick: Yes • Delicate and Quick: Yes • Daily Quick: Yes • Strong and fast: Yes • Intensive 65°: Yes • Normal ECO: Yes • Washing temperatures: 38, 45, 50, 65, 70 °C

OPTIONS

Delay timer option: 3-6-9-12 hours • 1/2 load FlexiZone option: Yes • Options for tabs FlexiTabs: Yes • Quick Time option: Yes

BASKETS

N° baskets: 3, Flexi • Basket colour: Grey • Basket components colour: Grey • Handle: In plastic with stainless steel insert on upper and lower basket • Upper Basket: With central fixed racks • Height adjustment of the upper basket: On three levels • Lower Basket: With 4 foldable racks • Largest loadable dish in upper basket: 19,0 cm • Lower basket with anti-drip inserts: Yes • Largest loadable dish in lower basket: 30,0 cm • Cutlery basket: 13 place settings sliding • Colour Inner Components: Blue

TECHNICAL FEATURES

Controls: Electronic • Display: Delayed start • On/off indicator: Yes • Rinse aid indicator: Light • Progress indicator: Yes • End of cycle indicator: On display, with acoustic signal • Washing system: Orbital • Drying system: Natural condenser drying • Motor: Single phase • Third spray arm: Single • Flood protection system: Total Acquastop • Water supply: Single; cold/hot water max. 60°C - energysave with hot water up to 35% • Max water hardness: 100°fH;58°dH • Child safety system (door lock): Yes • Tub material: Stainless steel • Filter: Stainless steel • Concealed heating element: Yes • Hinges: Self balancing with fixed hinges • Adjustable feet: Just for levelling

PERFORMANCE / ENERGY LABEL

Noise level: 47 dB(A) re 1pW • Water consumption per cycle (I/cycle): 9.6 I • Annual energy consumption: 243 kWh/a • Reference programme: Normal ECO • Total cycle time of reference programme (min): 140 min • Duration of the stand by on mode (min): 5 min • Energy Label ex EU: Energy rating: 3,5 stars - Water rating: 5,5 stars

ELECTRICAL CONNECTION

Connected power: 1800 W • Voltage: 220-240 V • Type of connection: Single-phase • Frequency (Hz): 50 Hz • Power supply cable length: 140 cm

FEATURES ATTRIBUTES

Noise level: 45 - 47 dB(A)

ALSO AVAILABLE

LOGISTIC INFORMATION

Dimensions of the product HxWxD (mm): 848x598x600 • Net weight (kg): 55.000 kg




SE364TD

60cm Touch Control Ceramic Hob with Straight Edge Glass

EAN13: 8017709234720


- 4 "High-light" radiant cooking zones
- Rear Left: Ø 148mm, 1.20 kW
- Front Left: Ø 184mm,1.80 kW
- Rear Right: Ø 184mm, 1.80 kW
- Front Right : Ø 148mm, 1.20 kW
- Black ceramic glass
- 9 power levels
- · End of cooking acoustic alarm
- Quick start
- Keep warm automatic function
- Residual heat indicators
- Ecologic Energy saving option
- Child safety lock
- Automatic safety cut-out
- Nominal power: 6.00 kW



SE364TD









SFA6500TVX

Oven, Classic, 60cm, Thermoseal, Stainless steel, Vapour Clean



























TYPE

Product Family: Oven • Category: 60cm • Cooking Method: Thermoseal • Power supply: Electric • EAN code: 8017709286361 • Cleaning system: Vapour Clean

AESTHETICS

Colour: Stainless steel • Finishing: Fingerproof • Aesthetic: Classic • Material: Stainless steel • Type of steel: Brushed • Glass Type: Eclipse • Door: With 1 horizontal strip • Handle: Classic • Handle Colour: Inox

PROGRAMS / FUNCTIONS

No. of cooking functions: 8 • Traditional cooking functions: Static, Fan assisted, Circulaire, Turbo, Eco, Large grill, Fan grill (large), Base • Other functions: Defrost • Cleaning functions: Vapour Clean

CONTROLS

Display: Yes • Control setting: Knobs & buttons • No. of controls: 2 • Control knobs: Classic

OPTIONS

Time-setting options: Delay start and automatic end cooking • Minute minder: Yes • Timer: 1 • Rapid pre-heating: Yes

TECHNICAL FEATURES

Display name: DigiScreen • Display technology: LED • Temperature control: Electro-mechanical • Minimum Temperature: 50 °C • Maximum temperature: 250 °C • Cavity material: Ever clean Enamel • No. of shelves: 5 • Shelves type: Metal racks • Tiliting grill: Yes • N. of fans: 1 • No. of lights: 1 • User-replaceable light: Yes • Light type: Halogen • Light Power: 40 W • Light when door is opened: Yes • Door opening type: Standard opening • Door: Temperate door • Removable door: Yes • Full glass inner door: Yes • Removable inner door: Yes • Total no. of door glasses: 3 • Safety Thermostat: Yes • Cooling system: Tangential • Heating suspended when door is opened: Yes • Lower heating element power: 1200 W • Upper heating element - Power: 1000 W • Grill element - power: 1700 W • Large grill - Power: 2700 W • Circular heating element - Power: 2000 W

PERFORMANCE / ENERGY LABEL

ELECTRICAL CONNECTION

Voltage: 220-240 V • Nominal power: 3000 W • Frequency (Hz): 50/60 Hz • Power supply cable length: 115 cm

LOGISTIC INFORMATION

Dimensions of the product (mm): 592x597x548 • Net weight (kg): 35.100 kg

ACCESSORIES INCLUDED

Rack with back and side stop: 1Enamelled tray (20mm): 1Enamelled deep tray (40mm): 1Insert gird: 1

OPTIONAL

PPR2: Pizza stone





SHW610X1 60CM WALLMOUNT CANOPY RANGEHOOD



EAN 9345025001740

Finish Stainless steel

Dimensions 600mmW x 640–1030mm H x 470mmD

 Max Airflow
 920m³/hr (IEC 61591)

 Noise rating
 52-71 dBA (IEC 60704-3)

Illumination $2 \times 2W$ LED

Speeds four

Supplied Accessories 3 x stainless steel grease filters

Optional Accessories Charcoal filter part #112.0157.240

Ducting Options Duct to atmosphere / recirculate - 150mm diameter ducting required


Power 220-240V, 50Hz

10A (3-pin plug)

Warranty Two years parts and labour




SHW610X1 60CM WALLMOUNT CANOPY RANGEHOOD



PLEASE NOTE: drawings are not to scale. They are to assist only.

WARNING: technical specifications and product sizes can be varied by the manufacturer without notice.

Cutouts for appliances should only be by physical product measurements. The above information is indicative only.





Job No: 23349

Version: 1

Date: 02/03/2022

Not to scale

Iconic Construction Ltd Lot 1

Unit 9 Mary Street Concept Signed:

Date:


Designer: Jessie

Drawn: ZY

Sheet 1 of 5

© Hostess Joinery Limited
All drawings are Copyright and remain the
property of Hostess Joinery Limited. All
colours and textures in 3D renders are
representative only and may not be

accurate.







L OST	ess N-OUR CRAFT
MJ	NKBA

www.hostess.co.nz

Job No: 23349 Version: 1

Date: 02/03/2022

Not to scale

Iconic Construction Ltd Lot 1 Unit 9 Mary Street Concept

Signed: Designer: Jessie

Drawn: ZY


Date:

Sheet 3 of 5

© Hostess Joinery Limited
All drawings are Copyright and remain the
property of Hostess Joinery Limited. All
colours and textures in 3D renders are
representative only and may not be
accurate.

....

KEY R10: 10mm radius edge X: Square Edge O: Acrylic Euro Edge □: Unfinished Edge



Bench Top Quote Quote Price: **MATERIAL** HOB CUTOUT: Y/N (1st Option): TAP HOLE CUTOUT: Y/N (2nd Option): AIR SWITCH: Y/N THICKNESS: TOP MOUNT / UNDERMOUNT **EDGE PROFILE:** TEMPLATING REQ: Y/N **BOWL TYPE:** DELIVER TO SITE / HOSTESS BOWL BY HOSTESS: Y/N INSTALLATION REQ: Y/N BOWL CUTOUT: Y/N ACCESS REQUIREMENTS? WATERFALL ENDS: Y/N

Benchtop Order

COLOUR:

THICKNESS:

BOWL:

TOP MOUNT / UNDERMOUNT

DRAINER: L/R

LARGE BOWL: L/R

HOB CUTOUT:

All dimensions are subject to verification onsite and adjustments of up to 100mm will be made to fit the job site at the discretion of Hostess Joinery Limited.

Changes of more than 100mm on any wall will require further consultation. All appliances, rangehoods, sinks, bowls, tapware, bins, and splashbacks shown on any plan, elevation, or 3D drawing are for display purposes only. None of these items will be supplied by Hostess Joinery Limited unless specified in the quote. This page is not part of the quote.



Job No: 23349

Version: 1

Date: 02/03/2022

Not to scale

Iconic Construction Ltd

Lot 1

Unit 9 Mary Street Concept Signed:

Date:

Designer: Jessie


Drawn: ZY

___ | Sheet 4 of 5

© Hostess Joinery Limited
All drawings are Copyright and remain the
property of Hostess Joinery Limited. All
colours and textures in 3D renders are

representative only and may not be accurate.


Product Key



Note: Representations only, see drawing layout







ABCDEFGHUJK

All dimensions are subject to verification onsite and adjustments of up to 100mm will be made to fit the job site at the discretion of Hostess Joinery Limited. Changes of more than 100mm on any wall will require further consultation. All appliances, rangehoods, sinks, bowls, tapware, bins, and splashbacks shown on any plan, elevation, or 3D drawing are for display purposes only. None of these items will be supplied by Hostess Joinery Limited unless specified in the quote. This page is not part of the quote.



Job No: 23349

Version: 1

Date: 02/03/2022

Not to scale

Iconic Construction Ltd

Lot 1

Unit 9 Mary Street

Concept


Signed:

Date:

Drawn: ZY

Designer: Jessie

Sheet 5 of 5






Job No: 23350 Version: 1

Date: 02/03/2022 Not to scale Iconic Construction Ltd Lot 2 Unit 10 Mary Street Concept Signed: Designer: Jessie
Drawn: ZY

_____ Sheet 1 of 5

Date:



All dimensions are subject to verification onsite and adjustments of up to 100mm will be made to fit the job site at the discretion of Hostess Joinery Limited.

Changes of more than 100mm on any wall will require further consultation. All appliances, rangehoods, sinks, bowls, tapware, bins, and splashbacks shown on any plan, elevation, or 3D drawing are for display purposes only. None of these items will be supplied by Hostess Joinery Limited unless specified in the quote. This page is not part of the quote.









Job No: 23350 Version: 1

Date: 02/03/2022 Not to scale Iconic Construction Ltd Lot 2 Unit 10 Mary Street Concept Signed: Designer: Jessie


Drawn: ZY


_____ | Drawn: 2

Date:

Sheet 3 of 5

KEY R10: 10mm radius edge X: Square Edge O: Acrylic Euro Edge □: Unfinished Edge





Benchtop Order

COLOUR:

THICKNESS:

BOWL:

TOP MOUNT / UNDERMOUNT

DRAINER: L/R

LARGE BOWL: L/R

HOB CUTOUT:

All dimensions are subject to verification onsite and adjustments of up to 100mm will be made to fit the job site at the discretion of Hostess Joinery Limited.

Changes of more than 100mm on any wall will require further consultation. All appliances, rangehoods, sinks, bowls, tapware, bins, and splashbacks shown on any plan, elevation, or 3D drawing are for display purposes only. None of these items will be supplied by Hostess Joinery Limited unless specified in the quote. This page is not part of the quote.



Job No: 23350

Version: 1

Date: 02/03/2022

Not to scale

Iconic Construction Ltd Lot 2

_Ot 2

Unit 10 Mary Street Concept

Signed:

Designer: Jessie

Drawn: ZY


Date:

Sheet 4 of 5

© Hostess Joinery Limited
All drawings are Copyright and remain the
property of Hostess Joinery Limited. All
colours and textures in 3D renders are
representative only and may not be

accurate.


Product Key



Note: Representations only, see drawing layout







ABCDEFGHUJK

All dimensions are subject to verification onsite and adjustments of up to 100mm will be made to fit the job site at the discretion of Hostess Joinery Limited. Changes of more than 100mm on any wall will require further consultation. All appliances, rangehoods, sinks, bowls, tapware, bins, and splashbacks shown on any plan, elevation, or 3D drawing are for display purposes only. None of these items will be supplied by Hostess Joinery Limited unless specified in the quote. This page is not part of the quote.



Job No: 23350

Version: 1

Date: 02/03/2022

Not to scale

Iconic Construction Ltd Lot 2

Unit 10 Mary Street

Concept

Signed:

Date:

Designer: Jessie

Drawn: ZY

Sheet 5 of 5









mico.co.nz

mico



About Mico

Mico is New Zealand's leading plumbing, bathroom, heating and laundry specialist.

Bathrooms: ONLY THE BEST WILL DO

A bathroom may be one of the most functional areas of a home, but there's no reason it can't also be stylish and welcoming. At Mico, our specialists understand that there's more to a bathroom than pipes and fittings and that the perfect bathroom will make a positive difference to your day, every single day.

Industry - LEADING INNOVATION

With more than 70 years of experience and over 60 branches around New Zealand, we have both the knowledge and the products to guide you through the process of crafting your dream bathroom. We offer industry-leading warranties on all our products and our focus on providing value for money is just part of what makes us one of the country's most respected and trusted bathroom suppliers.





mico

BATHROOM

Brighton Framed Square 3-Sided Side Moulded Wall Shower Enclosure 900 x 900 x 1950mm Center Drain Fiberglass Residenced Acrylic Chrome

Functional, elegant & stylish, White or chrome with 1950mm high shower screens, 6mm toughened safety glass meeting all NZ standards, Fibreglass reinforced acrylic with a 30mm upstand, Includes an easy clean shower waste and adhesive and sealant pack, Showers suitable for both tiled and acrylic walls, 5 year warranty, Tapware and accessories not included




SHOWERS


Brighton Curved Shower 900x900

696768 - 900x900 Comer Moulded Wall chrome

Chrome slide moulded wall shown. Tray: fibreglass reinforced acrylic with a 30mm upstand. Includes an easy clean shower waste and adhesive & sealant pack/ Showers suitable for both tiled and acrylic walls. 1950mm door height.








TAPWARE

Adesso Form Shower Mixer 719133 Chrome Finish, All Pressure, Adjustable Isolator valves





TAPWARE

Adesso Urban Accessible Slide Shower 707649

Switch three function slide shower, with polished chrome finish, 3 Function, Aqua Air water saving technology Mains Pressure Wels Rating 3* - 7 l/min

Please Note: Minimum 900mm Rail Suitable for Accessible Situations



BATHROOM

Rakaia Wall Hung Vanity White 450mm 582594


2 Doors, Gloss white: 2-pack urethane on MRF, Dimensions: H480 x W450 x $$\operatorname{D}{3}20\mathrm{mm}$$



TAPWARE

Adesso Form Basin Mixer 719130 Chrome Finish, All Pressure, 5-star Mains Pressure, 5-star Unequal Pressure






WASTES & TRAPS

Pop-Up Waste With Overflow 32mm 636725 Choice of flush or domed plug included











ATLANTA II TOILET SUITE

The Atlanta range has European style, that will add an air of sophistication to your bathroom. On trend with soft edging, this range enhances the look of any bathroom. Atlanta's fresh design not only makes it appealing to look at but also very easy to clean with new rimless pan technology.

ATLANTA II STANDARD SEAT



ATLANTA II SLIM SEAT (7)741381

FEATURES

- Full vitreous china back to wall suit featuring a rimless pan and dual flush cistern
- Soft close and quick release toilet seat
- · WDI inlet valve
- WELS 4 ★ rated 3.5L per average flush
- · Back entry options for left and right bottom entry


S Trap set out 65 - 175mm


P Trap set out 185mm


Vario trap available separately

160mm - 270mm (7)706626

SPECIFICATION







WASTES, TAPWARE AND ACCESSORIES NOT INCLUDED



MICO
The bathroom specialist

www.placemakers.co.nz

www.mico.co.nz

BATHROOM

Boston II Toilet Roll Holder Chrome 729014

Solid brass construction, Easy to install, Fixing kit included, Stable structure, Bright chrome finish





TOWEL RAIL

R-Series Round 7 Rail

Dimensions: W 600mm x H 805mm x D122mm

Modern minimalist design, IP45 rating for use in Zone 1 - able to be positioned almost anywhere in the bathroom, AS/NZS 60335 compliant, Dual wiring: power connection available on left or right






Model		Finish	IP Rating	Rails	Height	Width	Depth		Vertical Centres		Concealed Wire	Dual Wire
R805	(7)620194	S/S	IP45	7	805	600	120	570	605	88	Yes	Yes



TAPWARE

Adesso Form Kitchen Mixer
719132
Gun Metal Finish, All Pressure, 5-star Mains Pressure, 4-star Unequal Pressure





₩ Robinhood

Description


ROBINHOOD STANDARD SUPERTUB WITH S/S GOOSENECK TAP








Dimensions





Specifications

Tapware

#304 Stainless Steel Gooseneck Tap Tapware type

WELS rating 5 Stars, 5.5L per minute

Maximum pressure 72.5 PSI (500 kPa); Max & Min pressure

Minimum pressure 22 PSI (150 kPa)

Recommended temperature range 5° to 65°C; Temperature range

Maximum temperature 80°C

Sink

0.8mm polished #304 Stainless Steel Bowl type

38L gross capacity measured to the top; Bowl capacity

30L capacity to overflow

Waste type/ discharge flow rate

Plug waste/ 60L per minute

Overflow/ Flow rate

Yes/30L per minute

Cabinet

Handle type Recessed plastic handle

Door opening Reversible, can be either left or right hand opening

Adjustable levelling feet

Yes Side apertures for hoses Yes, on both sides

3 Way ball valves isolators

Yes, included

Washing machine waste pipe

Separate

Cabinet color/finish

Satin white powder coated

Cabinet material

0.6mm galvanized steel

Maximum height of items can be

510mm

stored

Dimensions & Weights

Product dimensions (mm) W558*D565*H(900-920)

Carton dimensions (mm)

W575*D585*H965

Gross/Net weight (Kg)

21/18

Warranty

Tapware & Cabinet


2 years on parts & labour from the date of purchase 5 years on parts & labour from the date of purchase

Sink

SPECIFICATIONS

MAINS PRESSURE - VITREOUS ENAMEL (VE)

Product							Mo	dels					16
Single Element Indoor		31202519V	31204515 31204513	31209015 31209013	31213513 31213515	32213515	31218013 31218015		32218015	31225015	31230015		
Twin Element (non-simultaneo	us) Indoor						31218025			31225025			
Dual Element (simultaneous) Ir	ndoor	door		31230033 31230055									
Optima Outdoor/Indoor								91318015			31230003		
Optima Twin Element (non-sim Outdoor/Indoor	ultaneous)											91330025	492400G8
Approx. Storage Capacity	Litres	25	45	90	135	135	180	180	180	250	300	300	400
Boost Capacity (Twin Element)	Litres		-	-	-	-	45*		-	50**	50	47	90
Height	A (mm)	398	525	925	1325	935	1710	1720	1165	1555	1815	1820	1840
Width	B (mm)	400	490	490	490	580	490	490	580	580	580	580	690
	C (mm)	116	120	120	120	120	120	120	120	120	120	120	120
	D (mm)	32	65	65	65	65	65	-	65	65	65	-	105
	E (mm)	-			-			-	-	•	162	-	E-20
	F (mm)			•	•	-	1182*	<u>-</u>	•	1126**		1298	1323
	G (mm)	246		•		-	•	1546		-	-	1636	1479
	H(*)	45	45	45	45	45	45	36	45	45	45	36	97
Approx Weight Empty	Kg	15	26	38	49	54	60-62	64	64	80-82	91	97	113
TPR Valve Setting	kPa	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000
Water Connections		RP 3/4 /20	RP 3/4 /20	RP 3/4 /20	RP 3/4 /20	RP 3/4 /20	RP 3/4 /20	RP 3/4 /20	RP 3/4 /20	RP 3/4 /20	RP 3/4 /20	RP 3/4 /20	RP 3/4 /20
Element Rating (@230V)	kW	2.0	2.0 or 3.0	2.0 or 3.0	2.0 or 3.0	3.0	2.0 or 3.0	3.0	3.0	3.0	3.0 or 5.0	3.0	4.8^



- Inlet/Outlet and TPR valve are side mounted on left-hand side of 31202519V.
- Inlet/outlet and TPR valve are side mounted on right-hand side of 91318015 and 91330025.

kW	Recovery on a 50°C rise	AMPS
2.0 kW	34 litres per hr	8.7 A
2.4 kW	40 litres per hr	10.4 A
3.0 kW	51 litres per hr	13.1 A
3.6 kw	62 litres per hr	15.7 A
4.8 kW	82 litres per hr	21.0 A
5.0 kw	85 litres per hr	21.8 A
6.0 kW	103 litres per hr	26.1 A
$2 \times 3.0 \text{ kW}$	103 litres per hr	26.2 A
2 × 5.0 kW	171 litres per hr	43.6 A



ACCESSORIES

Cylinder Tray Square
508510

Hot Water Cylinder Tray 540, 540mm x 540mm O/Diameter

